TEXTILE GENERIC TE		т						
		- 1						
Curtains / Net curtains								
PROJECT			· · ·		1			
Date :	2021/3/30	Reference :	HLY1258					
Weight/sqm (fabric only)	208G/M2							
SERIAL NAME	AKSEL							
SAMPLE STATUS (AO, silver, gold)	GOLD							
SAMPLE STATUS (AO, SIVEL, gold)								
Composition fabric	100%POLYESTER	in % of each fiber	for fabric covering					
DETAILS :	1		I I		1	I	1	
Warn throads	Composition	100%POLYESTE	P		Materials and exact prop	ortion of different i	motoriala	
Warp threads	Number / cm	131.5	ĸ		Density of threads per ci		naterials	
		75D	unit ?		Weight of threads, very in		e the unit (Nm, Dte	x,)
		Texture yarns			Specificity of the thread			
	Finishing (mercerised,)	Overflow dyeing						
	O a mar a citi	4000/001/20			Mada dia la constante de la consta	-		
Weft threads	Composition	100%POLYESTE 24	к		Materials and exact prop		materials	
		300D	unit ?		Density of threads per ci Weight of threads, very in		e the unit (Nm Dte	x)
	·	Texture yarns			Specificity of the thread			,,
	Finishing (mercerised,)	Overflow dyeing						
	0	1000175511						
Sewing thread		100%POLYESTE	R		Materials and exact prop			· · · ·
	Yarn numbering Finition (mercerised,)	40D Dyeing			Weight of threads, very in	nportant to precisi	e the unit (Nm, Die	x,)
		301 flat stitch			Please refer to ISO 4915	international stan	dart to describe the	e sewing point
	Density /cm	3.6/cm			Number of point per cm,			01
Dyeing	Reactive, pigment,	NO			What kind of dyeing proc	oss and what kind	of pigmont	
Dyenig		NO			What kind of dyeing proc			
Printing	Technique (rotative or flat scr				Describe the technic use	d for printing		
(if aplicable)	Number of colors	2						
Pile velvet	Composition	NO			Materials and exact prop	ortion of different i	materials	
(if aplicable)	Yarn numbering	NO			Weight of threads, very in			x,)
		NO			Density of velvet pile per			, ,
	Height	NO			Height of the velvet pile i	n mm		
IF CONCERNED If some specific treatments or finishing	applied it must be describe	d below						
in some specific readments of ministing	j applied, it must be describe							
Coating	Position (under or above fabr	NO						
(if applicable)		NO			Chemical composition of	the coating		
	° (/	NO			If different layers, please		ple for 2 layers of 3	5g/m²: 2 x 35g
Repealant treatement	Composition	NO			Chemical composition of			<u> </u>
	g/m² (total)	NO	+		If different layers, please	indicate for exam	pie for 2 layers of 3	og/m+: 2 x 35g
Finish (other)	Composition	NO			Chemical composition			
Specific finishs	Ultrasound		NO					
	Burnout		NO					
	Sanforized Other		NO NO					
		. 20/110						
Washing details	l 				 	[
(please tick the right information)								
	1957				∧			
	795		<u> </u>				_	
<u> </u>	95		<u> </u>		$- \lambda$			
<u> </u>	had							
	60		<u> </u>	~		4		
	my		-					
	60						- Mi	
	1401		-7-				M	
	40		P			4	8	
	m							
	40		P	√	()			

		P		
307	1	Ē		
<u>\307</u>		Ē	<u> </u>	
rui7				
\boxtimes				

ACCESSORIES TECHNICAL SHEET

Curtains / Net curtains

On this page, please describe all technical elements that are not mentionned in other parts of the document

Iron-on tape	Composition Width	100%Polyamide 3cm
	Ironing temperature	warm setting
Embroidery (if applicable)	Yarn numbering	NO
	Density of points	NO
Velcro	Composition	NO
	Width	NO
	Which part already sewed on fabri	c?(loop or h [,] NO
	Position to detail in "tailoring" please	se

Other elements (please explain with details)

FET									
140,000				0		D			
-				C		D			
	Duesticat	On a sifi s sti s s	Decident		Desident	On a sifila stila a	Duradicat		
		Specification	Product	Specification	Product	Specification	Product		
		-		ļ				International type	(EN)
3.6/cm	3.6/cm								
8cm	8cm								
8	8								
18cm	18cm								
6cm	6cm								
6cm	6cm								
4cm	4cm								
Stainless iron	Stainless iron								
Silver	Silver								
				1					
				1					
				1					
				1					
	8 18cm 6cm 6cm 4cm Stainless iron	140x280cmeyeletsSpecificationProduct0.91kg0.91kg1cm1cm1cm1cm301 flat stitch301 flat stitch3.6/cm3.6/cm8cm8cm8818cm18cm6cm6cm6cm6cm4cm4cmStainless ironStainless iron	140x280cmeyeletsSpecificationProductSpecification0.91kg0.91kg1cm1cm1cm1cm301 flat stitch301 flat stitch3.6/cm3.6/cm8cm8cm8818cm18cm6cm6cm6cm6cm4cm4cmStainless ironStainless iron	140x280cmeyeletsSpecificationProductSpecificationProduct0.91kg0.91kg111cm1cm111cm1cm11301 flat stitch301 flat stitch13.6/cm3.6/cm118cm8cm118cm81118cm18cm116cm6cm6cm14cm4cm11Stainless ironStainless iron1	140x280cmImage: Constraint of the systemImage: Constraint of the system140x280cmProductSpecificationProductSpecification9pecificationProductSpecificationProductSpecification0.91kg0.91kgImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system1cm1cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system1cm1cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system1cm1cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system3.6/cm3.6/cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system3.6/cm3.6/cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system3.6/cm3.6/cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system3.6/cm3.6/cmImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system88Image: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system88Image: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system88Image: Constraint of the systemImage: Constraint of the systemImage: Constraint of the system18cm <td< td=""><td>140x280cm eyeletsProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProduct0.91kg0.91kgIddateIddateIddateIddate1cm1cmIddateIddateIddateIddate1cm1cmIddateIddateIddateIddate301 flat stitch301 flat stitchIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddate</td><td>140x280cmProductSpecificationProductSpecificationProductSpecification9redits0.91kg0.91kgProductSpecificationProductSpecification0.91kg0.91kg0.91kgProductSpecificationProductSpecification1cm1cm1cmIcmIcmIcmIcmIcm1cm1cmIcmIcmIcmIcmIcmIcm301 flat stitch301 flat stitchIcmIcmIcmIcmIcm3.6/cmIcmIcmIcmIcmIcmIcmIcm3.6/cmIcmIcmIcmIcmIcmIcmIcm3.6/cmIcmIcmIcmIcmIcmIcmIcm1cmIcmIcmIcmIcmIcmIcmIcm3.6/cmIcm<!--</td--><td>140x280cm eyeletsProductSpecificationSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationSpecificationProductSp</td><td>140x280cm Rest Image Image</td></td></td<>	140x280cm eyeletsProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProduct0.91kg0.91kgIddateIddateIddateIddate1cm1cmIddateIddateIddateIddate1cm1cmIddateIddateIddateIddate301 flat stitch301 flat stitchIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddateIddateIddate3.6/cmIddateIddate	140x280cmProductSpecificationProductSpecificationProductSpecification9redits0.91kg0.91kgProductSpecificationProductSpecification0.91kg0.91kg0.91kgProductSpecificationProductSpecification1cm1cm1cmIcmIcmIcmIcmIcm1cm1cmIcmIcmIcmIcmIcmIcm301 flat stitch301 flat stitchIcmIcmIcmIcmIcm3.6/cmIcmIcmIcmIcmIcmIcmIcm3.6/cmIcmIcmIcmIcmIcmIcmIcm3.6/cmIcmIcmIcmIcmIcmIcmIcm1cmIcmIcmIcmIcmIcmIcmIcm3.6/cmIcm </td <td>140x280cm eyeletsProductSpecificationSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationSpecificationProductSp</td> <td>140x280cm Rest Image Image</td>	140x280cm eyeletsProductSpecificationSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationProductSpecificationSpecificationProductSp	140x280cm Rest Image

Hidden tabs material						
Hidden tabs color						
Tape height						
lines & buckles						
Tape color					 	
GATHERING TAPE						
Top hem dimension						
Tape height						
Tape color						
VELCRO (for lining)						
Position from top						
Dimension (lenght)						
LABEL						
Dimensions	5x11cm&4x3.2cm	5x11cm&4x3.2cm				
Position from bottom of the product	272cm	272cm				